

# AUTHOR INDEX

- Adams, N.G. *see* Millar, T.J.  
Aitken, D.K. *see* Roche, P.F.  
Albinson, J.S. *see* Mitchell, R.M.  
Allen, D.A. *see* Norris, R.P.  
Appleton, P.N., Foster, P.A., Davies, R.D. The apparent counter-rotation of the outer H I emission surrounding M51, 221, 393  
Athanassoula, E., Sellwood, J.A. Bi-symmetric instabilities of the Kuz'min/Toomre disc, 221, 213  
Athanassoula, E. *see* Sellwood, J.A.  
Atherton, P.D. *see* Teuben, P.J.  
Axon, D.J. *see* Brindle, C.  
Axon, D.J. *see* Taylor, K.
- Bailey, J.A. *see* Brindle, C.  
Bath, G.T., Clarke, C.J., Mantle, V.J. The light-curve properties of mass-transfer events in cataclysmic variables, 221, 269  
Bean, A.J. *see* Peterson, B.A.  
Binney, J. *see* May, A.  
Blackwell, D.E., Booth, A.J., Petford, A.D., Leggett, S.K., Mountain, C.M., Selby, M.J. The infrared flux method and its use for study of  $\alpha$  Boo,  $\mu$  Her and  $\beta$  Dra; relation to the Vega 1.2–5  $\mu$ m infrared excess, 221, 427  
Blandford, R.D. *see* Fabian, A.C.  
Bodenheimer, P. *see* Tenorio-Tagle, G.  
Boehlau, E. *see* Duley, W.W.  
Bonnet-Bidaud, J.-M. *see* Mukai, K.  
Bonnet-Bidaud, J.M. *see* Osborne, J.P.  
Booth, A.J. *see* Blackwell, D.E.  
Booth, L. *see* Corbet, R.H.D.  
Bowyer, S. *see* Osborne, J.P.  
Branduardi-Raymont, G. *see* Corbet, R.H.D.  
Bridle, A.H. *see* Sanders, R.H.  
Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R. Simultaneous optical and infrared polarization measurements of blazars, 221, 739  
Brown, A. *see* Smale, A.P.
- Campbell, C.G. Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables, 221, 599  
Charles, P.A. *see* Corbet, R.H.D.  
Charles, P.A. *see* Mukai, K.  
Charles, P.A. *see* Osborne, J.P.  
Charles, P.A. *see* Smale, A.P.  
Chiappetti, L. *see* Osborne, J.P.  
Clarke, B.G. *see* Sanders, R.H.  
Clarke, C.J. *see* Bath, G.T.  
Clarke, J.T. *see* Osborne, J.P.  
Clegg, R.E.S., Harrington, J.P., Storey, P.J. Ne III charge-exchange lines in the planetary nebula NGC 3918, 221, 61P  
Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L. Long-term and periodic variability of 4U 1258–61 (GX304–1), 221, 961  
Corbet, R.H.D. *see* Mukai, K.  
Corbet, R.H.D. *see* Smale, A.P.  
Couchman, H.M.P., Rees, M.J. Pregalactic evolution in cosmologies with cold dark matter, 221, 53  
Crawford, J., Rowan-Robinson, M. Models for *IRAS* observations of compact galactic H II regions, 221, 923  
Cuellar, L. *see* Fabian, A.C.  
Currie, M.J. *see* Lucey, J.R.  
Czerny, M., King, A.R. Non-synchronous secondaries in cataclysmic variables, 221, 55P
- Das, M.K. *see* Tavakol, R.K.  
Davies, J.K. Are the *IRAS*-detected Apollo asteroids extinct comets?, 221, 19P  
Davies, R.D. *see* Appleton, P.N.  
Denby, B., Taylor, K.N.R. A neutral hydrogen bipole associated with UW CMa, 221, 707  
Dickens, R.J. *see* Lucey, J.R.  
Disney, M. *see* Philipps, S.  
Duley, W.W., Boehlau, E. A laboratory simulation of grain destruction in interstellar shocks, 221, 659  
Dyson, J.E. *see* Hartquist, T.W.  
Dyson, J.E. *see* Taylor, K.  
de Kool, M. *see* Soker, N.  
de Zeeuw, T., Peletier, R., Franx, M. Mass models with Stäckel potentials, 221, 1001
- Efstathiou, G. *see* Peterson, B.A.  
Eker, Z. Spectral-line variations in Sigma Geminorum, 221, 947  
Ellis, R.S. *see* Peterson, B.A.  
Evans, A. *see* Mitchell, R.M.
- Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L. Pair-induced spectral changes and variability in compact X-ray sources, 221, 931  
Fabian, A.C., Thomas, P.A., Fall, S.M., White III, R.E. A lower limit to the binding mass of early-type galaxies, 221, 1049  
Fabian, A.C. *see* Foster, A.J.  
Fabian, A.C. *see* Tennant, A.F.  
Fall, S.M. *see* Fabian, A.C.  
Fong, R. *see* Peterson, B.A.  
Foster, A.J., Ross, R.R., Fabian, A.C. Neutron star model atmospheres – a comparison with MXB 1728–34, 221, 409  
Foster, P.A. *see* Appleton, P.N.  
Frank, J. *see* Robertson, J.A.  
Franx, M. *see* de Zeeuw, T.
- Gardner, F.F., Whiteoak, J.B. Observations of 1.4-GHz H I and 1.667-GHz OH transitions in NGC 5793, a spiral galaxy with a very luminous radio nucleus, 221, 537  
Gardner, F.F. *see* Norris, R.P.

# Author index

- Glass, I.S. *IRAS* sources in the Sgr I window, 221, 879
- Glencross, W.M. *see* Lightfoot, J.F.
- Goldreich, P., Goodman, J., Narayan, R. The stability of accretion tori – I. Long-wavelength modes of slender tori, 221, 339
- Goodman, J. *see* Goldreich, P.
- Graham, J.R., Meikle, W.P.S. Analysis of the infrared echo of supernova 1982e in NGC 1332, 221, 789
- Green, D.A. Observations of IC 443 at 151 and 1419 MHz, 221, 473
- Grogard, R.J.-M. *see* McGee, R.X.
- Guilbert, P.W. *see* Fabian, A.C.
- Hachisu, I. *see* Sawada, K.
- Harrington, J.P. *see* Clegg, R.E.S.
- Hartquist, T.W., Dyson, J.E., Pettini, M., Smith, L.J. Mass-loaded astronomical flows – I. General principles and their application to RCW 58, 221, 715
- Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J. Enhanced star formation – the importance of bars in spiral galaxies, 221, 41p
- Haynes, R.F. *see* McGee, R.X.
- Heise, J. *see* Mazeh, T.
- Henry, J.P. *see* Osborne, J.P.
- He, X.-T., Impey, C.D. Emission-line galaxies in the Virgo region, 221, 727
- He, X.-T. *see* Impey, C.D.
- Hill, G.J. *see* Osborne, J.P.
- Hill, P.W. *see* Jeffery, C.S.
- Hogan, C. *see* Salmon, J.
- Hough, J.H. *see* Brindle, C.
- Ho, C. Motion of relativistic charges in an increasing magnetic field, 221, 523
- Hughes, S. *see* Taylor, K.
- Humphries, C.M. *see* Napier, W.M.
- Hyland, A.R. *see* Brindle, C.
- Impey, C.D., He, X.-T. Quasars and the Virgo cluster, 221, 897
- Impey, C.D. *see* He, X.-T.
- Inaguchi, T. *see* Shima, E.
- Jameson, R.F. *see* Longmore, A.J.
- Jeffery, C.S., Hill, P.W. The pulsating extreme helium star BD+13°3224 (V652 Her) – III. The radial velocity curve, 221, 975
- Jones, J. The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex, 221, 257
- Jordan, C. *see* Smale, A.P.
- Judge, P.G. Constraints on the outer atmospheric structure of late-type giant stars with *IUE*: methods and application to Arcturus ( $\alpha$  Boo K2III), 221, 119
- Kahn, S. *see* Osborne, J.P.
- Kawara, K. *see* Nakajima, T.
- Kerr, F.J., Lynden-Bell, D. Review of galactic constants, 221, 1023
- Kieboom, K. *see* Mazeh, T.
- King, A.R. *see* Czerny, M.
- Kochhar, R.K. *see* Sunder, G.S.
- Landecker, T.L. *see* Routledge, D.
- Lee, U., Saio, H. Overstable convective modes in uniformly rotating massive main-sequence stars, 221, 365
- Leggett, S.K. *see* Blackwell, D.E.
- Leggett, S.K. *see* Hawarden, T.G.
- Lewin, M. *see* van Paradijs, J.
- Lightfoot, J.F., Glencross, W.M. Molecular hydrogen mapping of Herbig–Haro 7–11: a filamentary bullet?, 221, 993
- Lightfoot, J.F., Glencross, W.M. A protostellar jet model for Herbig–Haro 2, 221, 47p
- Lindinger, W. *see* Millar, T.J.
- Lin, D.N.C. *see* Tenorio-Tagle, G.
- Livio, M. *see* Soker, N.
- Longmore, A.J., Robson, E.I., Jameson, R.F. Molecular hydrogen in S106, 221, 589
- Lucey, J.R., Currie, M.J., Dickens, R.J. The Centaurus cluster of galaxies – II. The bimodal velocity structure, 221, 453
- Lynden-Bell, D. Field energy of a charged black hole, 221, 25p
- Lynden-Bell, D. *see* Kerr, F.J.
- McGee, R.X., Haynes, R.F., Grogard, R.J.-M., Malin, D. Infrared cirrus and H1 in directions near the LMC, 221, 543
- Malin, D. *see* McGee, R.X.
- Mantle, V.J. *see* Bath, G.T.
- Maraschi, L. *see* Mukai, K.
- Maraschi, L. *see* Osborne, J.P.
- Mason, K.O. *see* Corbet, R.H.D.
- Matsuda, T. *see* Sawada, K.
- Matsuda, T. *see* Shima, E.
- Matteucci, F. Some considerations on the origin of nitrogen, 221, 911
- May, A., Binney, J. Solar-neighbourhood observations and the structure of the Galaxy, 221, 857
- May, A., Binney, J. Testing the stability of stellar systems, 221, 13p
- Mazeh, T., Kieboom, K., Heise, J. A photometric study of AM Herculis in the normal and reversed soft X-ray modes, 221, 513
- Meikle, W.P.S. *see* Graham, J.R.
- Menzies, J.W. *see* Corbet, R.H.D.
- Mestel, L., Moss, D.L. On mixing by the Eddington–Sweet circulation, 221, 25
- Millar, T.J., Adams, N.G., Smith, D., Lindinger, W., Villerger, H. The chemistry of SH<sup>+</sup> in shocked interstellar gas, 221, 673
- Miller, L. *see* Yates, M.G.
- Millington, S.J.C., Peach, J.V. Galaxy orbits in the Coma cluster, 221, 15
- Mitchell, R.M., Evans, A., Albinson, J.S. Charge-controlled grain destruction during the 'isothermal' phase of novae, 221, 663
- Monteiro, T.S., Stutzki, J. Collisional excitation of the hyperfine transitions of HCN, 221, 33p

- Moss, D.L. *see* Mestel, L.  
 Mountain, C.M. *see* Blackwell, D.E.  
 Mountain, C.M. *see* Hawarden, T.G.  
 Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J. A multi-wavelength study of the long-period AM Her system E2003+225 – II. Changes in the accretion geometry, 221, 839  
 Mukai, K. *see* Osborne, J.P.  
 Nagata, T. *see* Nakajima, T.  
 Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K. A near-infrared survey of the L1641 dark cloud, 221, 483  
 Nakano, T., Umebayashi, T. Dissipation of magnetic fields in very dense interstellar clouds – II. Final phases of star formation and the magnetic flux of a newborn star, 221, 319  
 Napier, W.M., Humphries, C.M. Interstellar planetesimals – II. Radiative instability in dense molecular clouds, 221, 105  
 Narayan, R. *see* Goldreich, P.  
 Nishida, M. *see* Nakajima, T.  
 Noriega-Crespo *see* Tenorio-Tagle, G.  
 Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F. A new OH megamaser galaxy: IRAS 11506–3851, 221, 51p  
 Nulsen, P.E.J. Thermal instability in cooling flows, 221, 377  
 Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrtelek, S. A multiwavelength study of the long-period AM Her system E2003+225 – I. The soft X-ray light curve and overall energy spectrum, 221, 823  
 Osborne, J.P. *see* Mukai, K.  
 Peach, J.V. *see* Millington, S.J.C.  
 Peacock, J.A. *see* Yates M.G.  
 Peletier, R. *see* de Zeeuw, T.  
 Peterson, B.A., Ellis, R.S., Efsthathiou, G., Shanks, T., Bean, A.J., Fong, R., Zen-Long, Z. A complete galaxy redshift sample – III. Methods and catalogue, 221, 233  
 Petford, A.D. *see* Blackwell, D.E.  
 Pettini, M. *see* Hartquist, T.W.  
 Philipps, S., Disney, M. Selection effects in the bivariate brightness distribution for spiral galaxies, 221, 1039  
 Phillips, G.J. Three-dimensional numerical simulations of collapsing, isothermal magnetic gas clouds, 221, 571  
 Phinney, E.S. *see* Fabian, A.C.  
 Pounds, K.A., Turner, T.J., Warwick, R.S. Rapid X-ray variability of the Seyfert galaxy MCG-6-30-15, 221, 7p  
 Pringle, J.E., Verbunt, F., Wade, R.A. Dwarf novae in outburst: modelling the observations, 221, 169  
 Protheroe, R.J. Effect of electron–photon cascading on the observed energy spectra of extragalactic sources of ultra-high-energy  $\gamma$ -rays, 221, 769  
 Puxley, P.J. *see* Hawarden, T.G.  
 Rees, M.J. *see* Couchman, H.M.P.  
 Reid, I.N., Strugnell, P.R. The luminosity and kinematics of RR Lyrae – II. RR Lyrae and the distance to the LMC, 221, 887  
 Robertson, J.A., Frank, J. A numerical study of two-dimensional accretion flows, 221, 279  
 Robson, E.I. *see* Longmore, A.J.  
 Roche, P.F., Aitken, D.K. The infrared spectral properties of planetary nebulae, 221, 63  
 Roche, P.F. *see* Norris, R.P.  
 Ross, R.R. *see* Foster, A.J.  
 Routledge, D., Landecker, T.L., Vaneldik, J.F. The supernova remnant OA 184 (G166.2+2.5) and associated H I, 221, 809  
 Rowan-Robinson, M. *see* Crawford, J.  
 Saio, H. *see* Lee, U.  
 Saio, H. Radial pulsations of V652 Her (BD+13°3224), 221, 1p  
 Salmon, J., Hogan, C. Correlation of QSO absorption lines in universes dominated by cold dark matter, 221, 93  
 Sanders, R.H., Bridle, A.H., Clark, B.G. Orientations of extended radio sources in the Third Bologna (B3) catalogue, 221, 69p  
 Sanders, R.H. *see* Teuben, P.J.  
 Sato, S. *see* Nakajima, T.  
 Savonije, G.J. *see* Soker, N.  
 Sawada, K., Matsuda, T., Hachisu, I. Accretion shocks in a close binary system, 221, 679  
 Selby, M.J. *see* Blackwell, D.E.  
 Sellwood, J.A., Athanassoula, E. Unstable modes from galaxy simulations, 221, 195  
 Sellwood, J.A. *see* Athanassoula, E.  
 Shafer, R.A. *see* Tennant, A.F.  
 Shanks, T. *see* Peterson, B.A.  
 Shima, E., Matsuda, T., Inaguchi, T. Interaction between a stellar wind and an accretion flow, 221, 687  
 Smale, A.P., Charles, P.A., Corbet, R.H.D., Jordan, C., Brown, A., Walter, F. X-ray and optical observations of a dMe flare star in the T Tauri field, 221, 77  
 Smale, A.P. *see* Corbet, R.H.D.  
 Smale, A.P. *see* Mukai, K.  
 Smith, D. *see* Millar, T.J.  
 Smith, L.J. *see* Hartquist, T.W.  
 Soker, N., Livio, M., de Kool, M., Savonije, G.J. Accretion of angular momentum from an inhomogeneous medium – II. Isothermal flow, 221, 445  
 Stiff, M.J. Theoretical Stokes profiles for magnetic stars – III. Integrated field measures, weighting functions and the modelling of stellar magnetic geometries, 221, 499  
 Storey, P.J. *see* Clegg, R.E.S.  
 Strugnell, P.R. *see* Reid, I.N.

## Author index

- Stutzki, J. *see* Monteiro, T.S.  
 Sunder, G.S., Kochhar, R.K. On the dynamical evolution of a spheroidal cluster - II.  
 Anisotropic velocity distribution, 221, 553  
 Sztajno, J. *see* van Paradijs, J.
- Tavakol, R.K., Das, M.K. On the question of multimode stellar pulsations, 221, 625  
 Taylor, K.N.R. *see* Denby, B.  
 Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S. The Herbig-Haro-like objects in M42, 221, 155  
 Tennant, A.F., Fabian, A.C., Shafer, R.A.  
 Observations of type I X-ray bursts from Cir X-1, 221, 27P  
 Tenorio-Tagle, G., Bodenheimer, P., Lin, D.N.C., Noriega-Crespo, A. On star formation in stellar systems - I. Photoionization effects in protoglobular clusters, 221, 635  
 Teuben, P.J., Sanders, R.H., Atherton, P.D., van Albada, G.D. Kinematics and dynamics of the central region in the barred galaxy NGC 1365, 221, 1  
 Thomas, P.A. *see* Fabian, A.C.  
 Treves, A. *see* Mukai, K.  
 Treves, A. *see* Osborne, J.P.  
 Trümper, J. *see* van Paradijs, J.  
 Turner, T.J. *see* Pounds, K.A.
- Umebayashi, T. *see* Nakano, T.
- Vacca, W.D. *see* van Paradijs, J.  
 Vaneldik, J.F. *see* Routledge, D.  
 van Albada, G.D. *see* Teuben, P.J.  
 van der Klis, M. *see* Mukai, K.  
 van der Klis, M. *see* van Paradijs, J.  
 van Paradijs, J., Sztajno, M., Lewin, W.H.G., Trümper, J., Vacca, W.D., van der Klis, M. A unique triple-peaked type-I X-ray burst from 4U/MXB 1636-53, 221, 617  
 van Paradijs, J. *see* Mukai, K.  
 Verbunt, F. *see* Pringle, J.E.  
 Villinger, H. *see* Millar, T.J.  
 Vrtillek, *see* Osborne, J.P.
- Wade, R.A. *see* Pringle, J.E.  
 Walter, F. *see* Smale, A.P.  
 Warwick, R.S. *see* Pounds, K.A.  
 Whiteoak, J.B. *see* Gardner, F.F.  
 Whiteoak, J.B. *see* Norris, R.P.  
 White III, R.E. *see* Fabian, A.C.
- Yates, M.G., Miller, L., Peacock, J.A. The relationship between the radio and infrared luminosities of 3CR radio galaxies, 221, 311
- Zen-Long, Z. *see* Peterson, B.A.

# SUBJECT INDEX

## Abundances of the elements

Some considerations on the origin of nitrogen (Matteucci, F.), 221, 911

## Accretion and accretion discs

- Dwarf novae in outburst: modelling the observations (Pringle, J.E., Verbunt, F., Wade, R.A.), 221, 169
- The light-curve properties of mass-transfer events in cataclysmic variables (Bath, G.T., Clarke, C.J., Mantle, V.J.), 221, 269
- A numerical study of two-dimensional accretion flows (Robertson, J.A., Frank, J.), 221, 279
- The stability of accretion tori – I. Long-wavelength modes of slender tori (Goldreich, P., Goodman, J., Narayan, R.), 221, 339
- Accretion of angular momentum from an inhomogeneous medium – II. Isothermal flow (Soker, N., Livio, M., de Kool, M., Savonije, G.J.), 221, 445
- Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables (Campbell, C.G.), 221, 599
- Accretion shocks in a close binary system (Sawada, K., Matsuda, T., Hachisu, I.), 221, 679
- Interaction between a stellar wind and an accretion flow (Shima, E., Matsuda, T., Inaguchi, T.), 221, 687
- A multi-wavelength study of the long-period AM Her system E2003+225 – II. Changes in the accretion geometry (Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J.), 221, 839
- Non-synchronous secondaries in cataclysmic variables (Czerny, M., King, A.R.), 221, 55p

## Asteroids

- The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex (Jones, J.), 221, 257
- Are the *IRAS*-detected Apollo asteroids extinct comets? (Davies, J.K.), 221, 19p

## Black holes

- Field energy of a charged black hole (Lynden-Bell, D.), 221, 25p
- Observations of type I X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), 221, 27p

## BL Lac objects

- Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739

## Celestial mechanics

- Unstable modes from galaxy simulations (Sellwood, J.A., Athanassoula, E.), 221, 195
- Bi-symmetric instabilities of the Kuz'min/Toomre disc (Athanassoula, E., Sellwood, J.A.), 221, 213
- The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex (Jones, J.), 221, 257
- A numerical study of two-dimensional accretion flows (Robertson, J.A., Frank, J.), 221, 279
- The stability of accretion tori – I. Long-wavelength modes of slender tori (Goldreich, P., Goodman, J., Narayan, R.), 221, 339
- On the dynamical evolution of a spheroidal cluster – II. Anisotropic velocity distribution (Sunder, G.S., Kochhar, R.K.), 221, 553
- On the question of multimode stellar pulsations (Tavakol, R.K., Das, M.K.), 221, 625
- Mass models with Stückel potentials (de Zeeuw, T., Peletier, R., Franx, M.), 221, 1001
- Testing the stability of stellar systems (May, A., Binney, J.), 221, 13p
- Non-synchronous secondaries in cataclysmic variables (Czerny, M., King, A.R.), 221, 55p

## Comets

- The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex (Jones, J.), 221, 257
- Are the *IRAS*-detected Apollo asteroids extinct comets? (Davies, J.K.), 221, 19p

## Cosmic rays

- Motion of relativistic charges in an increasing magnetic field (Ho, C.), 221, 523

## Cosmology

- Pregalactic evolution in cosmologies with cold dark matter (Couchman, H.M.P., Rees, M.J.), 221, 53
- Correlation of QSO absorption lines in universes dominated by cold dark matter (Salmon, J., Hogan, C.), 221, 93

## Distance scale

- The luminosity and kinematics of RR Lyrae – II. RR Lyrae and the distance to the LMC (Reid, I.N., Strugnell, P.R.), 221, 887

## Galactic Centre

- IRAS* sources in the Sgr I window (Glass, I.S.), 221, 879

## Subject index

### Galactic structure and stellar dynamics

- Kinematics and dynamics of the central region in the barred galaxy NGC 1365 (Teuben, P.J., Sanders, R.H., Atherton, P.D., van Albada, G.D.), 221, 1
- Unstable modes from galaxy simulations (Sellwood, J.A., Athassoula, E.), 221, 195
- Bi-symmetric instabilities of the Kuz'min/Toomre disc (Athassoula, E., Sellwood, J.A.), 221, 213
- The apparent counter-rotation of the outer H I emission surrounding M51 (Appleton, P.N., Foster, P.A., Davies, R.D.), 221, 393
- Solar-neighbourhood observations and the structure of the Galaxy (May, A., Binney, J.), 221, 857
- Mass models with Stäckel potentials (de Zeeuw, T., Peletier, R., Franx, M.), 221, 1001
- Review of galactic constants (Kerr, F.J., Lynden-Bell, D.), 221, 1023
- Testing the stability of stellar systems (May, A., Binney, J.), 221, 13p
- Enhanced star formation – the importance of bars in spiral galaxies (Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J.), 221, 41p

### Galaxies

- Kinematics and dynamics of the central region in the barred galaxy NGC 1365 (Teuben, P.J., Sanders, R.H., Atherton, P.D., van Albada, G.D.), 221, 1
- A complete galaxy redshift sample – III. Methods and catalogue (Peterson, B.A., Ellis, R.S., Efsthathiou, G., Shanks, T., Bean, A.J., Fong, R., Zen-Long, Z.), 221, 233
- Thermal instability in cooling flows (Nulsen, P.E.J.), 221, 377
- The apparent counter-rotation of the outer H I emission surrounding M51 (Appleton, P.N., Foster, P.A., Davies, R.D.), 221, 393
- The Centaurus cluster of galaxies – II. The bimodal velocity structure (Lucey, J.R., Currie, M.J., Dickens, R.J.), 221, 453
- Emission-line galaxies in the Virgo region (He, X.-T., Impey, C.D.), 221, 727
- Selection effects in the bivariate brightness distribution for spiral galaxies (Phillipps, S., Disney, M.), 221, 1039
- A lower limit to the binding mass of early-type galaxies (Fabian, A.C., Thomas, P.A., Fall, S.M., White III, R.E.), 221, 1049
- Enhanced star formation – the importance of bars in spiral galaxies (Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J.), 221, 41p

### Galaxies – active

- The relationship between the radio and infrared luminosities of 3CR radio galaxies (Yates, M.G., Miller, L., Peacock, J.A.), 221, 311
- Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739

- Effect of electron–photon cascading on the observed energy spectra of extragalactic sources of ultra-high-energy  $\gamma$ -rays (Protheroe, R.J.), 221, 769
- Pair-induced spectral changes and variability in compact x-ray sources (Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L.), 221, 931
- A new OH megamaser galaxy: IRAS 11506–3851 (Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F.), 221, 51p
- Orientations of extended radio sources in the Third Bologna (B3) catalogue (Sanders, R.H., Bridle, A.H., Clark, B.G.), 221, 69p

### Galaxies – formation of

- Pregalactic evolution in cosmologies with cold dark matter (Couchman, H.M.P., Rees, M.J.), 221, 53

### Galaxies – nuclei of

- Observations of 1.4-GHz H I and 1.667-GHz OH transitions in NGC 5793, a spiral galaxy with a very luminous radio nucleus (Gardner, F.F., Whiteoak, J.B.), 221, 537

### Galaxies – Seyfert

- Rapid X-ray variability of the Seyfert galaxy MCG-6-30-15 (Pounds, K.A., Turner, T.J., Warwick, R.S.), 221, 7p

### Galaxy clusters

- Galaxy orbits in the Coma cluster (Millington, S.J.C., Peach, J.V.), 221, 15
- Thermal instability in cooling flows (Nulsen, P.E.J.), 221, 377
- The Centaurus cluster of galaxies – II. The bimodal velocity structure (Lucey, J.R., Currie, M.J., Dickens, R.J.), 221, 453
- Quasars and the Virgo cluster (Impey, C.D., He, X.-T.), 221, 897
- Selection effects in the bivariate brightness distribution for spiral galaxies (Phillipps, S., Disney, M.), 221, 1039

### Gamma-ray astronomy

- Effect of electron–photon cascading on the observed energy spectra of extragalactic sources of ultra-high-energy  $\gamma$ -rays (Protheroe, R.J.), 221, 769

### Gravitation and gravitational radiation

- Field energy of a charged black hole (Lynden-Bell, D.), 221, 25p

## Herbig-Haro objects

- The Herbig-Haro-like objects in M42 (Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S.), 221, 155  
 Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet? (Lightfoot, J.F., Glencross, W.M.), 221, 993  
 A protostellar jet model for Herbig-Haro 2 (Lightfoot, J.F., Glencross, W.M.), 221, 47p

## Infrared astronomy

- The infrared spectral properties of planetary nebulae (Roche, P.F., Aitken, D.K.), 221, 63  
 The relationship between the radio and infrared luminosities of 3CR radio galaxies (Yates, M.G., Miller, L., Peacock, J.A.), 221, 311  
 The infrared flux method and its use for study of  $\alpha$  Boo,  $\mu$  Her and  $\beta$  Dra; relation to the Vega 1.2- $\mu$ m infrared excess (Blackwell, D.E., Booth, A.J., Petford, A.D., Leggett, S.K., Mountain, C.M., Selby, M.J.), 221, 427  
 A near-infrared survey of the L1641 dark cloud (Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K.), 221, 483  
 Infrared cirrus and H I in directions near the LMC (McGee, R.X., Haynes, R.F., Groganard, R.J.-M., Malin, D.), 221, 543  
 Molecular hydrogen in S106 (Longmore, A.J., Robson, E.L., Jameson, R.F.), 221, 589  
 Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739  
 Analysis of the infrared echo of supernova 1982e in NGC 1332 (Graham, J.R., Meikle, W.P.S.), 221, 789  
 IRAS sources in the Sgr I window (Glass, I.S.), 221, 879  
 Models for IRAS observations of compact galactic H II regions (Crawford, J., Rowan-Robinson, M.), 221, 923  
 Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet? (Lightfoot, J.F., Glencross, W.M.), 221, 993  
 Are the IRAS-detected Apollo asteroids extinct comets? (Davies, J.K.), 221, 19p  
 Enhanced star formation - the importance of bars in spiral galaxies (Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J.), 221, 41p

## Intergalactic medium

- Galaxy orbits in the Coma cluster (Millington, S.J.C., Peach, J.V.), 221, 15  
 Correlation of QSO absorption lines in universes dominated by cold dark matter (Salmon, J., Hogan, C.), 221, 93  
 Thermal instability in cooling flows (Nulsen, P.E.J.), 221, 377  
 Quasars and the Virgo cluster (Impey, C.D., He, X.-T.), 221, 897

## Interstellar grains

- The infrared spectral properties of planetary nebulae (Roche, P.F., Aitken, D.K.), 221, 63  
 Interstellar planetesimals - II. Radiative instability in dense molecular clouds (Napier, W.M., Humphries, C.M.), 221, 105  
 A laboratory simulation of grain destruction in interstellar shocks (Duley, W.W., Boehlau, E.), 221, 659  
 Charge-controlled grain destruction during the 'isothermal' phase of novae (Mitchell, R.M., Evans, A., Albinson, J.S.), 221, 663  
 Analysis of the infrared echo of supernova 1982e in NGC 1332 (Graham, J.R., Meikle, W.P.S.), 221, 789  
 Models for IRAS observations of compact galactic H II regions (Crawford, J., Rowan-Robinson, M.), 221, 923

## Interstellar medium

- Dissipation of magnetic fields in very dense interstellar clouds - II. Final phases of star formation and the magnetic flux of a newborn star (Nakano, T., Umebayashi, T.), 221, 319  
 Infrared cirrus and H I in directions near the LMC (McGee, R.X., Haynes, R.F., Groganard, R.J.-M., Malin, D.), 221, 543  
 The chemistry of SH<sup>+</sup> in shocked interstellar gas (Millar, T.J., Adams, N.G., Smith, D., Lindinger, W., Villinger, H.), 221, 673  
 A neutral hydrogen bipole associated with UW Cma (Denby, B., Taylor, K.N.R.), 221, 707  
 The supernova remnant OA 184 (G166.2+2.5) and associated H I (Routledge, D., Landecker, T.L., Vanceldik, J.F.), 221, 809  
 Some considerations on the origin of nitrogen (Matteucci, F.), 221, 911  
 A lower limit to the binding mass of early-type galaxies (Fabian, A.C., Thomas, P.A., Fall, S.M., White III, R.E.), 221, 1049

## Laboratory astrophysics

- A laboratory simulation of grain destruction in interstellar shocks (Duley, W.W., Boehlau, E.), 221, 659

## Magellanic Clouds

- Infrared cirrus and H I in directions near the LMC (McGee, R.X., Haynes, R.F., Groganard, R.J.-M., Malin, D.), 221, 543  
 The luminosity and kinematics of RR Lyrae - II. RR Lyrae and the distance to the LMC (Reid, I.N., Strugnell, P.R.), 221, 887



## Subject index

### Masers

- Observations of 1.4-GHz H<sub>1</sub> and 1.667-GHz OH transitions in NGC 5793, a spiral galaxy with a very luminous radio nucleus (Gardner, F.F., Whiteoak, J.B.), 221, 537  
A new OH megamaser galaxy: IRAS 11506-3851 (Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F.), 221, 51p

### Meteors

- The effect of gravitational perturbations on the evolution of the Taurid meteor stream complex (Jones, J.), 221, 257

### Molecules and molecular clouds

- Interstellar planetesimals - II. Radiative instability in dense molecular clouds (Napier, W.M., Humphries, C.M.), 221, 105  
The Herbig-Haro-like objects in M42 (Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S.), 221, 155  
A near-infrared survey of the L1641 dark cloud (Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K.), 221, 483  
Three-dimensional numerical simulations of collapsing, isothermal magnetic gas clouds (Phillips, G.J.), 221, 571  
Molecular hydrogen in S106 (Longmore, A.J., Robson, E.I., Jameson, R.F.), 221, 589  
The chemistry of SH<sup>+</sup> in shocked interstellar gas (Millar, T.J., Adams, N.G., Smith, D., Lindinger, W., Villinger, H.), 221, 673  
Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet? (Lightfoot, J.F., Glencross, W.M.), 221, 993  
Collisional excitation of the hyperfine transitions of HCN (Monteiro, T.S., Stutzki, J.), 221, 33p  
A new OH megamaser galaxy: IRAS 11506-3851 (Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F.), 221, 51p

### Nebulae - gaseous

- Dissipation of magnetic fields in very dense interstellar clouds - II. Final phases of star formation and the magnetic flux of a newborn star (Nakano, T., Umebayashi, T.), 221, 319  
Molecular hydrogen in S106 (Longmore, A.J., Robson, E.I., Jameson, R.F.), 221, 589  
Models for IRAS observations of compact galactic H II regions (Crawford, J., Rowan-Robinson, M.), 221, 923  
A protostellar jet model for Herbig-Haro 2 (Lightfoot, J.F., Glencross, W.M.), 221, 47p

### Nebulae - planetary

- The infrared spectral properties of planetary nebulae (Roche, P.F., Aitken, D.K.), 221, 63  
Ne III charge-exchange lines in the planetary nebula NGC 3918 (Clegg, R.E.S., Harrington, J.P., Storey, P.J.), 221, 61p

### Neutron stars

- Neutron star model atmospheres - a comparison with MXB 1728-34 (Foster, A.J., Ross, R.R., Fabian, A.C.), 221, 409  
A unique triple-peaked type-I X-ray burst from 4U/MXB 1636-53 (van Paradijs, J., Szajno, M., Lewin, W.H.G., Trümper, J., Vacca, W.D., van der Klis, M.), 221, 617  
Long-term and periodic variability of 4U 1258-61 (GX304-1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961  
Observations of type I X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), 221, 27p

### Novae

- Dwarf novae in outburst: modelling the observations (Pringle, J.E., Verbunt, F., Wade, R.A.), 221, 169  
The light-curve properties of mass-transfer events in cataclysmic variables (Bath, G.T., Clarke, C.J., Mantle, V.J.), 221, 269  
Charge-controlled grain destruction during the 'isothermal' phase of novae (Mitchell, R.M., Evans, A., Albinson, J.S.), 221, 663

### Physical processes

- On mixing by the Eddington-Sweet circulation (Mestel, L., Moss, D.L.), 221, 25  
A numerical study of two-dimensional accretion flows (Robertson, J.A., Frank, J.), 221, 279  
Thermal instability in cooling flows (Nulsen, P.E.J.), 221, 377  
Accretion of angular momentum from an inhomogeneous medium - II. Isothermal flow (Soker, N., Livio, M., de Kool, M., Savonije, G.J.), 221, 445  
Motion of relativistic charges in an increasing magnetic field (Ho, C.), 221, 523  
Three-dimensional numerical simulations of collapsing, isothermal magnetic gas clouds (Phillips, G.J.), 221, 571  
Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables (Campbell, C.G.), 221, 599  
On the question of multimode stellar pulsations (Tavakol, R.K., Das, M.K.), 221, 625  
Accretion shocks in a close binary system (Sawada, K., Matsuda, T., Hachisu, I.), 221, 679  
Interaction between a stellar wind and an accretion flow (Shima, E., Matsuda, T., Inaguchi, T.), 221, 687



- Mass-loaded astronomical flows – I. General principles and their application to RCW 58 (Hartquist, T.W., Dyson, J.E., Pettini, M., Smith, L.J.), 221, 715
- Effect of electron-photon cascading on the observed energy spectra of extragalactic sources of ultra-high-energy  $\gamma$ -rays (Protheroe, R.J.), 221, 769
- Pair-induced spectral changes and variability in compact X-ray sources (Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L.), 221, 931
- A protostellar jet model for Herbig-Haro 2 (Lightfoot, J.F., Glencross, W.M.), 221, 47p
- Ne III charge-exchange lines in the planetary nebula NGC 3918 (Clegg, R.E.S., Harrington, J.P., Storey, P.J.), 221, 61p

## Planets

- Interstellar planetesimals – II. Radiative instability in dense molecular clouds (Napier, W.M., Humphries, C.M.), 221, 105

## Polarization of starlight

- Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739

## Quasars

- Correlation of QSO absorption lines in universes dominated by cold dark matter (Salmon, J., Hogan, C.), 221, 93
- Simultaneous optical and infrared polarization measurements of blazars (Brindle, C., Hough, J.H., Bailey, J.A., Axon, D.J., Hyland, A.R.), 221, 739
- Quasars and the Virgo cluster (Impey, C.D., He, X.-T.), 221, 897

## Radio astronomy

- The relationship between the radio and infrared luminosities of 3CR radio galaxies (Yates, M.G., Miller, L., Peacock, J.A.), 221, 311
- The apparent counter-rotation of the outer H I emission surrounding M51 (Appleton, P.N., Foster, P.A., Davies, R.D.), 221, 393
- Observations of IC 443 at 151 and 1419 MHz (Green, D.A.), 221, 473
- Observations of 1.4-GHz H I and 1.667-GHz OH transitions in NGC 5793, a spiral galaxy with a very luminous radio nucleus (Gardner, F.F., Whiteoak, J.B.), 221, 537
- A neutral hydrogen bipolar associated with UW CMA (Denby, B., Taylor, K.N.R.), 221, 707

- The supernova remnant OA 184 (G166.2+2.5) and associated H I (Routledge, D., Landecker, T.L., Vaneldik, J.F.), 221, 809
- A new OH megamaser galaxy: IRAS 11506-3851 (Norris, R.P., Whiteoak, J.B., Gardner, F.F., Allen, D.A., Roche, P.F.), 221, 51p
- Orientations of extended radio sources in the Third Bologna (B3) catalogue (Sanders, R.H., Bridle, A.H., Clark, B.G.), 221, 69p

## Radiative transfer

- Models for IRAS observations of compact galactic H II regions (Crawford, J., Rowan-Robinson, M.), 221, 923

## Relativity

- Field energy of a charged black hole (Lynden-Bell, D.), 221, 25p

## Spectroscopy

- Collisional excitation of the hyperfine transitions of HCN (Monteiro, T.S., Stutzki, J.), 221, 33p
- Ne III charge-exchange lines in the planetary nebula NGC 3918 (Clegg, R.E.S., Harrington, J.P., Storey, P.J.), 221, 61p

## Stars – angular diameters of

- The infrared flux method and its use for study of  $\alpha$  Boo,  $\mu$  Her and  $\beta$  Dra; relation to the Vega 1.2–5  $\mu$ m infrared excess (Blackwell, D.E., Booth, A.J., Petford, A.D., Leggett, S.K., Mountain, C.M., Selby, M.J.), 221, 427

## Stars – atmospheres of

- Constraints on the outer atmospheric structure of late-type giant stars with *IUE*: methods and application to Arcturus ( $\alpha$  Boo K2III) (Judge, P.G.), 221, 119
- Neutron star model atmospheres – a comparison with MXB 1728-34 (Foster, A.J., Ross, R.R., Fabian, A.C.), 221, 409
- Spectral-line variations in Sigma Geminorum (Eker, Z.), 221, 947

## Stars – binary

- The light-curve properties of mass-transfer events in cataclysmic variables (Bath, G.T., Clarke, C.J., Mantle, V.J.), 221, 269
- A photometric study of AM Herculis in the normal and reversed soft X-ray modes (Mazeh, T., Kieboom, K., Heise, J.), 221, 513

## Subject index

- Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables (Campbell, C.G.), 221, 599
- Accretion shocks in a close binary system (Sawada, K., Matsuda, T., Hachisu, I.), 221, 679
- A neutral hydrogen bipole associated with UW CMa (Denby, B., Taylor, K.N.R.), 221, 707
- A multiwavelength study of the long-period AM Her system E2003+225 - I. The soft X-ray light curve and overall energy spectrum (Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrtilak, S.), 221, 823
- A multi-wavelength study of the long-period AM Her system E2003+225 - II. Changes in the accretion geometry (Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J.), 221, 839
- Pair-induced spectral changes and variability in compact X-ray sources (Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L.), 221, 931
- Spectral-line variations in Sigma Geminorum (Eker, Z.), 221, 947
- Long-term and periodic variability of 4U 1258-61 (GX304-1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- Non-synchronous secondaries in cataclysmic variables (Czemy, M., King, A.R.), 221, 55P

## Stars - chemical composition of

- Some considerations on the origin of nitrogen (Matteucci, F.), 221, 911

## Stars - clusters of

- On the dynamical evolution of a spheroidal cluster - II. Anisotropic velocity distribution (Sunder, G.S., Kochhar, R.K.), 221, 553
- On star formation in stellar systems - I. Photoionization effects in protoglobular clusters (Tenorio-Tagle, G., Bodenheimer, P., Lin, D.N.C., Noriega-Crespo, A.), 221, 635

## Stars - formation of

- Dissipation of magnetic fields in very dense interstellar clouds - II. Final phases of star formation and the magnetic flux of a newborn star (Nakano, T., Umebayashi, T.), 221, 319
- A near-infrared survey of the L1641 dark cloud (Nakajima, T., Nagata, T., Nishida, M., Sato, S., Kawara, K.), 221, 483
- On star formation in stellar systems - I. Photoionization effects in protoglobular clusters (Tenorio-Tagle, G., Bodenheimer, P., Lin, D.N.C., Noriega-Crespo, A.), 221, 635

- Enhanced star formation - the importance of bars in spiral galaxies (Hawarden, T.G., Mountain, C.M., Leggett, S.K., Puxley, P.J.), 221, 41P

## Stars - magnetic fields in

- Dissipation of magnetic fields in very dense interstellar clouds - II. Final phases of star formation and the magnetic flux of a newborn star (Nakano, T., Umebayashi, T.), 221, 319
- Theoretical Stokes profiles for magnetic stars - III. Integrated field measures, weighting functions and the modelling of stellar magnetic geometries (Stift, M.J.), 221, 499

## Stars - mass loss from

- The Herbig-Haro-like objects in M42 (Taylor, K., Dyson, J.E., Axon, D.J., Hughes, S.), 221, 155
- On star formation in stellar systems - I. Photoionization effects in protoglobular clusters (Tenorio-Tagle, G., Bodenheimer, P., Lin, D.N.C., Noriega-Crespo, A.), 221, 635
- Charge-controlled grain destruction during the 'isothermal' phase of novae (Mitchell, R.M., Evans, A., Albinson, J.S.), 221, 663
- Accretion shocks in a close binary system (Sawada, K., Matsuda, T., Hachisu, I.), 221, 679
- Interaction between a stellar wind and an accretion flow (Shima, E., Matsuda, T., Inaguchi, T.), 221, 687
- A neutral hydrogen bipole associated with UW CMa (Denby, B., Taylor, K.N.R.), 221, 707
- Mass-loaded astronomical flows - I. General principles and their application to RCW 58 (Hartquist, T.W., Dyson, J.E., Pettini, M., Smith, L.J.), 221, 715
- Analysis of the infrared echo of supernova 1982e in NGC 1332 (Graham, J.R., Meikle, W.P.S.), 221, 789
- IRAS sources in the Sgr I window (Glass, I.S.), 221, 879
- Molecular hydrogen mapping of Herbig-Haro 7-11; a filamentary bullet? (Lightfoot, J.F., Glencross, W.M.), 221, 993
- A protostellar jet model for Herbig-Haro 2 (Lightfoot, J.F., Glencross, W.M.), 221, 47P

## Stars - photometry of

- The infrared flux method and its use for study of  $\alpha$  Boo,  $\mu$  Her and  $\beta$  Dra; relation to the Vega 1.2-5  $\mu$ m infrared excess (Blackwell, D.E., Booth, A.J., Petford, A.D., Leggett, S.K., Mountain, C.M., Selby, M.J.), 221, 427
- A photometric study of AM Herculis in the normal and reversed soft X-ray modes (Mazeh, T., Kieboom, K., Heise, J.), 221, 513
- A multi-wavelength study of the long-period AM Her system E2003+225 - II. Changes in the accretion geometry (Mukai, K., Bonnet-Bidaud, J.-M.,

- Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J.), 221, 839
- Long-term and periodic variability of 4U 1258-61 (GX304-1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- Stars – spectroscopy of**
- X-ray and optical observations of a dMe flare star in the T Tauri field (Smale, A.P., Charles, P.A., Corbet, R.H.D., Jordan, C., Brown, A., Walter, F.), 221, 77
- Constraints on the outer atmospheric structure of late-type giant stars with *IUE*: methods and application to Arcturus ( $\alpha$  Boo K2III) (Judge, P.G.), 221, 119
- Theoretical Stokes profiles for magnetic stars – III. Integrated field measures, weighting functions and the modelling of stellar magnetic geometries (Stift, M.J.), 221, 499
- A multi-wavelength study of the long-period AM Her system E2003+225 – II. Changes in the accretion geometry (Mukai, K., Bonnet-Bidaud, J.-M., Charles, P.A., Corbet, R.H.D., Maraschi, L., Osborne, J.P., Smale, A.P., Treves, A., van der Klis, M., van Paradijs, J.), 221, 839
- Spectral-line variations in Sigma Geminorum (Eker, Z.), 221, 947
- Long-term and periodic variability of 4U 1258-61 (GX304-1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- The pulsating extreme helium star BD+13°3224 (V652 Her) – III. The radial velocity curve (Jeffery, C.S., Hill, P.W.), 221, 975
- Stars – structure and evolution of**
- On mixing by the Eddington-Sweet circulation (Mestel, L., Moss, D.L.), 221, 25
- Overstable convective modes in uniformly rotating massive main-sequence stars (Lee, U., Saio, H.), 221, 365
- Radial pulsations of V652 Her (BD+13°3224) (Saio, H.), 221, 1P
- Stars – variable**
- X-ray and optical observations of a dMe flare star in the T Tauri field (Smale, A.P., Charles, P.A., Corbet, R.H.D., Jordan, C., Brown, A., Walter, F.), 221, 77
- Dwarf novae in outburst: modelling the observations (Pringle, J.E., Verbunt, F., Wade, R.A.), 221, 169
- The light-curve properties of mass-transfer events in cataclysmic variables (Bath, G.T., Clarke, C.J., Mantle, V.J.), 221, 269
- A photometric study of AM Herculis in the normal and reversed soft X-ray modes (Mazeh, T., Kieboom, K., Heise, J.), 221, 513
- Accretion torques due to three-dimensional channelled flows in magnetic cataclysmic variables (Campbell, C.G.), 221, 599
- On the question of multimode stellar pulsations (Tavakol, R.K., Das, M.K.), 221, 625
- IRAS* sources in the Sgr I window (Glass, I.S.), 221, 879
- The luminosity and kinematics of RR Lyraes – II. RR Lyraes and the distance to the LMC (Reid, I.N., Strugnell, P.R.), 221, 887
- The pulsating extreme helium star BD+13°3224 (V652 Her) – III. The radial velocity curve (Jeffery, C.S., Hill, P.W.), 221, 975
- Radial pulsations of V652 Her (BD+13°3224) (Saio, H.), 221, 1P
- Non-synchronous secondaries in cataclysmic variables (Czerny, M., King, A.R.), 221, 55P
- Stars – velocities of**
- The luminosity and kinematics of RR Lyraes – II. RR Lyraes and the distance to the LMC (Reid, I.N., Strugnell, P.R.), 221, 887
- Supernovae and supernova remnants**
- Observations of IC 443 at 151 and 1419 MHz (Green, D.A.), 221, 473
- Analysis of the infrared echo of supernova 1982e in NGC 1332 (Graham, J.R., Meikle, W.P.S.), 221, 789
- The supernova remnant OA 184 (G166.2+2.5) and associated H I (Routledge, D., Landecker, T.L., Vaneldik, J.F.), 221, 809
- Ultraviolet astronomy**
- Constraints on the outer atmospheric structure of late-type giant stars with *IUE*: methods and application to Arcturus ( $\alpha$  Boo K2III) (Judge, P.G.), 221, 119
- Dwarf novae in outburst: modelling the observations (Pringle, J.E., Verbunt, F., Wade, R.A.), 221, 169
- A multiwavelength study of the long-period AM Her system E2003+225 – I. The soft X-ray light curve and overall energy spectrum (Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrilek, S.), 221, 823
- Ne III charge-exchange lines in the planetary nebula NGC 3918 (Clegg, R.E.S., Harrington, J.P., Storey, P.J.), 221, 61P

## Subject index

### X-ray astronomy

- X-ray and optical observations of a dMe flare star in the T Tauri field (Smale, A.P., Charles, P.A., Corbet, R.H.D., Jordan, C., Brown, A., Walter, F.), 221, 77
- Neutron star model atmospheres – a comparison with MXB 1728-34 (Foster, A.J., Ross, R.R., Fabian, A.C.), 221, 409
- A photometric study of AM Herculis in the normal and reversed soft X-ray modes (Mazeh, T., Kieboom, K., Heise, J.), 221, 513
- A unique triple-peaked type-I X-ray burst from 4U/MXB 1636-53 (van Paradijs, J., Sztajno, M., Lewin, W.H.G., Trümper, J., Vacca, W.D., van der Klis, M.), 221, 617
- A multiwavelength study of the long-period AM Her system E2003+225 – I. The soft X-ray light curve and overall energy spectrum (Osborne, J.P., Bonnet-Bidaud, J.M., Bowyer, S., Charles, P.A., Chiappetti, L., Clarke, J.T., Henry, J.P., Hill, G.J., Kahn, S., Maraschi, L., Mukai, K., Treves, A., Vrtelek, S.), 221, 823
- Pair-induced spectral changes and variability in compact X-ray sources (Fabian, A.C., Blandford, R.D., Guilbert, P.W., Phinney, E.S., Cuellar, L.), 221, 931
- Long-term and periodic variability of 4U 1258-61 (GX304-1) (Corbet, R.H.D., Smale, A.P., Menzies, J.W., Branduardi-Raymont, G., Charles, P.A., Mason, K.O., Booth, L.), 221, 961
- A lower limit to the binding mass of early-type galaxies (Fabian, A.C., Thomas, P.A., Fall, S.M., White III, R.E.), 221, 1049
- Rapid X-ray variability of the Seyfert galaxy MCG-6-30-15 (Pounds, K.A., Turner, T.J., Warwick, R.S.), 221, 7p
- Observations of type I X-ray bursts from Cir X-1 (Tennant, A.F., Fabian, A.C., Shafer, R.A.), 221, 27p

